ASKO

Swedish quality since 1950

Kitchen and Laundry appliances

Introduction

Swedish quality since 1950	4-5
Our design philosophy	6-7
Enjoy your time in the kitchen	8-9

Kitchen

Built-in ovens	10-19
Cooktops	20-33
Rangehoods	34-43
Dishwashers	40-55

Laundry

Laundry	56-65
Washing machines	66-67
Tumble dryers	68-73
Drying cabinet	74-79
Hidden helpers	80-81

Product information

Technical specifications	82-91
Installation drawings	92-94

Our heritage is our future



Swedish quality since 1950

The ASKO story is a unique one. It started back in 1950 in Vara, Sweden. An innovative young man had a dream to build a washing machine for his mother, so he could help make her life easier. Reflecting his love of nature, he set out to build a unique, energy and water efficient machine. One that could heat water for superior cleaning performance while offering the lifelong reliability of stainless steel drums.

Today, more than 60 years later, ASKO is a global brand, famous for its world-class kitchen and laundry appliances. Our machines meet the highest standards in design, function, durability and sustainability. We manufacture our products with extremely high quality requirements and we build our domestic machines just like we build our professional products.

Nature is an important part of Swedish life, and caring for the environment has always been an integral part of ASKO culture. Our commitment to sustainability guides not only how our products perform, but also how we manufacture them. At ASKO, we continually look for the most environmentally friendly solutions and the most economical use of resources in the creation of our appliances.

Our design philosophy

In Sweden, where the winters are long, dark and cold, we like to bring light into our lives and our homes whenever possible. This is probably one of the reasons why interior design is such a big part of Swedish design history. Simple yet functional. Practical and easy to use. Bright as well as beautiful. That's Swedish design.

At ASKO, we've taken the best parts of our design heritage and integrated them into our machines with elegance and craftsmanship. Your life with an ASKO will only get easier thanks to intuitive functions and intelligent features that will save you time everyday. And of course, you get a level of quality that guarantees performance and long life.

Enjoy your time in the kitchen

Today, our lives are busier than ever, so when we're at home, we deserve to enjoy every moment. At ASKO, we design kitchen products to make life easier and better. Our appliances are packed with smart features that save time while enhancing your cooking every day. Our ovens feature such smart and innovative features like Rapid Pre Heat. Who has ever had to wait 10 minutes for your oven to heat up? We combine this with our even cooking results, through the clever use of a uniquely designed oven cavity.

ASKO

Built-in ovens

Centerpiece of every kitchen

Today, the oven remains the centrepiece of every kitchen. That's why we've developed a range of ovens to suit your kitchen and your life. We've combined Swedish design, European manufacturing and some clever thinking to bring joy to your cooking and eating.

ASKO iChef oven

Picture yourself with iChef oven

ASKO's new iChef oven will change your view of the kitchen forever. A programmable oven featuring a high-resolution full-colour display, iChef is the smart way to enhance your cooking. You simply slide the touch panel, select the image of the meal you wish to create and iChef does the rest. It's that simple.

SIMPLEbake

When you have selected the SIMPLEbake option, nine photos appear on the interactive colour display. These represent 9 categories of dishes that are most commonly cooked in the oven. Select the category of the dish you wish to prepare. All you need to do is then select the weight of the meal you are cooking and how you would like it cooked.

AUTObake

AUTObake is the simplest cooking method of all. Simply select from one of the coloured food groups on the screen and then select the weight and how you would like it cooked, and the oven does the rest. Our oven programming was devised by chefs and nutritional experts to give you the very best result.

PRObake

Allows you to set which heating elements you require and what temperature you want. Depending on the program selected, the temperature range can be from 30-275°C.

STEPbake

STEPbake allows you to set up to 3 cooking combinations in one program. This means you no longer have to go to the oven manually and change settings half way through your cooking.

MYbake

MYbake saves your favourite cooking combinations. So any previous cooking combinations you have used on the oven can be stored for future use. This means no more re-programming of the oven, just select your MYbake program and press Start.

EXTRA

EXTRA has all those little things we feel are important to the functionality of an oven. Like fast pre-heating, plate warming or simple re-heating of last night's dinner. Although our oven has so many methods of cooking, we have even included a meat probe program for accurate roasting of unusual cuts of meat.

Ovens

Perfect cooking made easy

There are few things in life that compare to sharing a beautiful meal with the people you love and ASKO ovens make it easy. Packed with intelligent features that take all the guesswork out of cooking, you'll be creating chef quality meals from day one. Whether it's a family feast or a delicious gourmet snack, ASKO's cooking range will complement your passion for great cooking and help make every moment in the kitchen a joy.

Designed for even heat

The design of the interior cavity of ASKO ovens has been inspired by the classic wood fire oven. This internal shape allows for a more even circulation of hot air, resulting in perfect cooking every time.

Heats up faster

There is no need to wait ages for your oven to reach the desired temperature. With rapid heating, ASKO ovens reaches 180°C in just 4 minutes. A sound and a light signal indicate when the desired temperature has been reached.

Automatic safety switch-off

ASKO ovens feature a safety system that immediately switches off the fan and the heating element if the door is opened while in operation. When the door is closed again, all settings are restored and cooking begins again. What's more, ASKO ovens include a CoolTouch door and child lock for added peace of mind.

Capacity for large meals

ASKO ovens allow you to cook more at one time. Our full width 46cm baking trays combined with our innovative heat circulation system allow for larger volumes of food to be cooked evenly. And with 4 cooking levels, the oven gives you the space to cook multiple dishes with ease.

Self-cleaning pyrolytic system

ASKO's pyrolytic function literally incinerates grease and oil spatters off the inside of the oven. All that remains is fine ash that can be easily wiped away. No scrubbing required. The advanced design of ASKO baking trays mean they can be left in the oven during the pyrolytic cleaning process.

Probe for perfect cooking

With ASKO, dry roasts are a thing of the past. Just insert the built-in probe into your roast, set the required temperature and the oven automatically switches off when the meal is cooked to perfection. You can even follow the temperature on the display so there is no need to continually open the door during cooking.

Built-in ovens

Ovens 60 cm

ASKO OP8631SS

Electronic oven, 60 cm.
Stainless steel.

Functions

- SIMPLEbake
- AUTObake
- PRObake
- MYbake
- STEPbake
- Upper & lower heat
- Lower heat
- Upper heat
- Half grill
- Full grill
- Fan grill
- Fan forced & lower heat
- Fan forced
- Fan & lower heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Rapid preheat

Features

- 2 halogen internal lights
- 3 fully extendable telescopic rails
- Clock / timer
- Start & and cooking time setting
- TFT display
- Temperature range 30°C - 275°C
- 3 trays
- Meat probe
- Pyro-proof baking trays and side racks

ASKO OP8621SS

Electronic oven, 60 cm.
Stainless steel.

Functions

- Auto cooking
- Top & bottom heat
- Fan forced
- Fan forced lower heat
- Fan grilling
- Half grill
- Full grill
- Fan & lower heat
- Lower heat
- Upper heat
- Fan only
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Memorise 3 favourite programs

Features

- 2 halogen internal lights
- 2 telescopic 3/4 rails
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side racks

ASKO OP8611SS

Electronic oven, 60 cm.
Stainless steel.

Functions

- Half grill
- Full grill
- Fan grill
- Top & bottom heat
- Fan & lower heat
- Fan forced
- Fan forced & lower heating
- Fan forced upper heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins

Features

- 2 halogen internal lights
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side racks

Ovens 60 cm

ASKO OT8601SS

Electronic oven, 60 cm.
Stainless steel.

Functions

- Half grill
- Full grill
- Fan grill
- Top & bottom heat
- Fan & lower heat
- Fan forced
- Fan forced & lower heating
- Fan forced upper heat
- Defrost
- Keep warm
- Aqua Clean

Features

- 2 halogen internal lights
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side rack

Built in ovens

Ovens 60 cm

ASKO OP8631A

Electronic Oven, 60 cm.
Anthracite

Functions

- SIMPLEbake
- AUTObake
- PRObake
- MYbake
- STEPbake
- Upper & lower heat
- Lower heat
- Upper heat
- Half grill
- Full grill
- Fan grill
- Fan forced & lower heat
- Fan forced
- Fan & lower heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Rapid preheat

Features

- 2 halogen internal lights
- 3 fully extendable telescopic rails
- Clock / timer
- Start & and cooking time setting
- TFT display
- Temperature range 30°C - 275°C
- 3 trays
- Meat probe
- Pyro-proof baking trays and side racks

ASKO OP8621A

Electronic oven, 60 cm.
Anthracite

Functions

- Auto cooking
- Top & bottom heat
- Fan forced
- Fan forced lower heat
- Fan grilling
- Half grill
- Full grill
- Fan & lower heat
- Lower heat
- Upper heat
- Fan only
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Memorise 3 favourite programs

Features

- 2 halogen internal lights
- 2 telescopic 3/4 rails
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side racks

ASKO OP8611A

Electronic oven, 60 cm.
Anthracite

Functions

- Half grill
- Full grill
- Fan grill
- Top & bottom heat
- Fan & lower heat
- Fan forced
- Fan forced & lower heating
- Fan forced upper heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins

Features

- 2 halogen internal lights
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side racks

Cooktops

The freedom to create

The cooktop is where most of the action happens. From early morning breakfast to late night snacks, the cooktop is in constant use, so you want a design that caters to your needs and lifestyle.

ASKO's range of induction, ceramic and gas cooktops offer freedom and flexibility in the kitchen. Fast, efficient and easy to clean, they give you the control you demand to create great meals quickly. And all our cooktops are designed to integrate seamlessly with our full range of kitchen appliances.

Induction and ceramic cooktops

Cooking with precision

Induction cooktops are changing the way people cook. Using magnetic fields to generate heat, they are the fastest of all cooktops and offer instant precise heat control. Induction cooktops are becoming more popular in Australia. They work quite differently to conventional, electric, or gas cooktops. Induction cooktops use magnetic fields to transfer heat directly to your pans. All the source energy is supplied to the pan whereas, with conventional electric, or gas cooktops, the energy is first converted to heat and only then transferred to the pan with much of that heat going to waste.

Bridge Induction

ASKO's flexible Bridge Induction lets you to bridge two cooking zones to create one large cooking zone, allowing you to optimise your cooking space. Our Bridge Induction provides the ideal amount of space for large pots and pans, making your cooking options endless.

6 Auto programs

The Auto programs will help you maintain the right temperature when boiling, frying, simmering, grilling, wok cooking or keeping food warm.

Simple to use

Our induction cooktops are smart. The flat glass surface provides a minimalist, designer look that's also highly practical. Spills can be wiped up in seconds, and touch controls with easy-to-read displays make them very simple to use.

Save time

Hungry? In a hurry? No problem. With an ASKO induction cooktop you can cook faster than ever. Boiling two litres of water will take under 5 minutes.

IQcook

A new level of control

When you're busy juggling multiple tasks in the kitchen, it's always good to have a helping hand – and ASKO's innovative IQCook technology is exactly that. The IQCook sensor attaches to the lid of your cookware and continually monitors the temperature in the pan. It then talks to the cooktop and automatically regulates the setting to ensure perfect cooking. With IQCook, you'll never have a boil over or a boiled dry pan again. IQCook helps to preserve the nutrients in your food while maximising flavour. Giving you an unprecedented level of control, IQCook will open up new possibilities in the kitchen and give you the confidence to try out even the most complex meals.

IQcook sensors

Wireless communication between the remote LID SENSOR and the induction cooktop lies in the heart of the IQcook system. Data from the sensors is constantly monitored with real-time adjustments of the cooking.

IQboil

IQboil is used for dishes that need to be cooked with more water and need slow, controlled boiling. Suitable for soups and all kinds of pasta.

IQpro

IQpro is used for finishing dishes that require longer cooking time with slow heating and cooking at lower, constant temperature. Best for dishes such as: porridge, goulash, stews, chili con carne and polenta.

IQsteam

IQsteam is a revolutionary concept of cooking with steam on induction cooktops. Precise regulation and sensor control maintains a constant level of steam inside the cookware and requires a very small amount of water.

IQfry

Developed for dishes that require deep frying. The lid is not used with the IQfry program. Suitable for food such as: french fries, spring rolls and donuts.

IQgrill

IQgrill is perfect for grilling food with very little or no oil. The IQgrill program is suitable for food such as: steaks, roasts, vegetables and cheese.

Induction and ceramic cooktops

Induction



ASKO HI1774 IQcook

Induction cooktop, 4 zones, 78 cm

Performance

- 1x14.5 cm (1400/2200 W)
- 2x18 cm (1850/3000 W)
- 1x21 cm (2300/3700 W)

Features

- LED display
- Touch control
- 9 power levels
- Booster on all zones
- Pan detection
- Power indication
- IQ Sensor cooking
- Pause function

Cleaning

Black frame and glass surface with touch controls makes cleaning very easy

Safety

Residual heat indication, child-safe control panel, pan detection, 9 hour maximum cook time, auto cut-off



ASKO HI1983 Bridge Induction

Induction cooktop 5 zones, 90 cm

Performance

- 2 x Bridge Induction™ (total power 7400 W) or 4 individual zones (3700 W)
- 1X26 cm Dual Induction zone (0-5500 W)

Features

- LED display
- Touch control
- 12 power levels
- Booster on all zones (when used separately)
- Bridge Induction
- Pan detection
- Power indication
- 6 Automatic cooking programs
- Pause function

Cleaning

Bevelled glass surface with touch controls makes cleaning very easy

Safety

Residual heat indication, child-safe control panel, pan detection, 9 hour maximum cook time, auto cut-off

Induction

ASKO HI1683 Bridge Induction

Induction cooktop, 4 zones, 64 cm

Performance

- 2 x Bridge Induction™ (total power 7400 W) or 4 individual zones (3700 W)

Features

- LED display
- Touch control
- 12 power levels
- Booster on all zones (when used separately)
- Bridge Induction
- Pan detection
- Power indication
- 6 Automatic cooking programs
- Pause function

Cleaning

Bevelled glass surface with touch controls makes cleaning very easy

Safety

Residual heat indication, child-safe control panel, pan detection, 9 hour maximum cook time, auto cut off

Ceramic



HC1643G

Ceramic cooktop, 4 zones
Size: 60x51 cm

Performance

- 2x145 (1200 W)
- 1x180 (1700 W)
- 1x210 (2200 W)

Features

- Touch control
- Timer
- 9 power levels
- Booster on all zones
- Power indication
- Ceramic glass for rapid heating

Cleaning

Flat ceramic surface with touch controls makes cleaning very easy

Safety

Residual heat indication, child-safe control panel, safety switch turns off entire heating area

Gas cooktops

The perfect flame

The naked flame has long been a favourite of serious chefs and ASKO's gas cooktops build on this tradition with a new level of performance. Our gas flame is fully controllable with a wide heating range and high output. This allows you to cook faster and more economically for the best possible cooking experience. Elegant cast iron trivets can be removed individually for easy cleaning. Our cooktops also feature integrated flame failure technology. No flame means no gas. Safety is an ASKO priority.

A+ burners

A+ burners on our gas cooktops have a very high output to cook fast and economically, so even a litre of water can boil approximately two minutes faster. ASKO burners also feature perfectly controllable pure flame with a wide control range.

Logical layout

Having the larger burners at the front, means that the most used burners are easily accessible and large pans don't hit the rear wall. This configuration not only looks fantastic, it also allows you to use more pots and pans at once.

Separate spill zones

Our HG1984 gas cooktop features 3 separate spill zones, so if you accidently spill something, it will be contained in one area for easy cleaning. Now when you spill something in the wok zone, it won't interfere with the other areas.

Easy to clean

The burner caps are finished with enamel and the burner bases are finished with Keradur enamel (heat and scratch resistant) which makes cleaning easy and extends the life of the appliance.

Safety

No flame, no gas! Should the flame be extinguished by a draught or water boiling over for example, the gas supply to that particular burner will be cut-off.

One piece burners

The burner caps are covered with enamel and the burner ring is finished with a heat resistant Keradur coating which is hard wearing, scratch and dirt resistant.

Gas cooktops

Gas cooktops

HG1984S

Gas cooktop, 4 zones plus wok
Colour: Stainless steel
Size: 90 cm

Performance

- 1x14,9 MJ
- 1x8,5 MJ
- 2x6,7 MJ
- 1x3,6 MJ

Features

- Unique A+ Burner technology
- Directional burners
- Automatic ignition

Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets, 3 separate spill zones

Safety

Child-proof activation, auto cut off if gas supply is interrupted

HG1984A

Gas cooktop, 4 zones plus wok
Colour: Anthracite
Size: 90 cm

Performance

- 1x14,9 MJ
- 1x8,5 MJ
- 2x6,7 MJ
- 1x3,6 MJ

Features

- Unique A+ Burner technology
- Directional burners
- Automatic ignition

Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets, 3 separate spill zones

Safety

Child-proof activation, auto cut off if gas supply is interrupted

Gas cooktops

HG1774S

Gas cooktop, 4 zones plus wok
Colour: Stainless steel
Size: 75 cm

Performance

- 1x14,9 MJ
- 1x8,5 MJ
- 2x6,7 MJ
- 1x3,6 MJ

Features

- Unique A+ burner technology
- Directional burners
- Automatic ignition

Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets,
3 separate spill zones

Safety

Child-proof activation, auto cut off if gas supply is interrupted

HG1774A

Gas cooktop, 4 zones plus wok
Colour: Antracite
Size: 75 cm

Performance

- 1x14,9 MJ
- 1x8,5 MJ
- 2x6,7 MJ
- 1x3,6 MJ

Features

- Unique A+ burner technology
- Directional burners
- Automatic ignition

Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets,
3 separate spill zones

Safety

Child-proof activation, auto cut off if gas supply is interrupted

Gas cooktops

HG1664S

Gas cooktop, 3 zones plus wok
Colour: Stainless steel
Size: 62,5 cm

Performance

- 1x14,9 MJ
- 2x6,7 MJ
- 1x3,6 MJ

Features

- Unique A+ burner technology
- Directional burners
- Automatic ignition

Cleaning

One piece body, burners, and removable knobs for easy cleaning, smooth cast iron trivets,
4 separate spill zones

Safety

Child-proof activation, auto cut off if gas supply is interrupted

HG1654S

Gas cooktop, 4 zones
Colour: Stainless steel
Size: 60 cm

- 1x8,5 MJ
- 2x6,7 MJ
- 1x3,6 MJ

Features

- Unique A+ burner technology
- Directional burners
- Automatic ignition

Cleaning

One piece body, burners, and removable knobs for easy cleaning, smooth cast iron trivets,
2 separate spill zones

Safety

Child-proof activation, auto cut off if gas supply is interrupted

Rangehoods

Enjoy the silence

ASKO's rangehoods are ideal for open plan living with a selection of styles for different tastes. Our rangehoods are inspired by minimalist design, with no obtrusive buttons or dials. Powerful air evacuation combined with whisper-quiet operation means your guests can enjoy the after-dinner conversation without interruption.

ASKO

A simple statement

With stunning lines, ASKO rangehoods are at the forefront of design. Each makes a simple design statement with a high visual impact in the kitchen. And beyond their good looks, they adhere to ASKO's principles of uncompromising performance and ease of use.

Rapid fume removal

Every ASKO rangehood features a high-power motor for greater performance. The 4 power levels (including Boost function) give you the flexibility to choose the right suction speed for your cooking.

Boost function

The boost function speeds up the extraction of the air for extra power when you need it.

Washable fan filter

An efficient 5-layer filter collects grease better and can easily be removed and washed when required.

15 minute off timer

A built-in timer is conveniently located in the control panel and includes a 15 minute off timer.

AirQuiet™ motor

ASKO's rangehoods will not only complement your kitchen, but will perform without being obtrusive and extract odours with minium noise. (AirQuiet motor on models CO4620 and CO4920).

Something for everyone

All our rangehoods are designed for minimum noise and can be either a design centrepiece or blend in seamlessly in your kitchen, depending on your kitchen's design and your personal preferences.

Rangehoods

Rangehoods

ASKO CC4840

Concealed rangehood, 86 cm

Performance

- Extraction capacity: 760 m^3/h

Functions

- 4 power levels including boost
- Electronic timer for delayed switch-off

Features

- Electronic hidden controls
- LED indicator for fan speed
- Cleaning alarm on aluminium filter after 30 hours of use
- Twin halogen lighting
- Adjustable halogen lighting
- Forced perimeter extraction clean air program
- Replacement alarm on carbon filters after 120 hours of use

ASKO CW4951

Canopy rangehood, 90 cm

Performance

- Extraction capacity: 650 m^3/h

Functions

- 4 power levels including boost
- Electronic timer for delayed switch-off

Features

- Touch control
- LC-display with energy-saving mode
- Real-time clock with 1-59 minute timer
- 15 minute off timer
- Twin halogen lighting

Rangehoods

ASKO CO4920

Slide-out rangehood, 90 cm

Performance

- Extraction capacity: 650 m³/h

Functions

- 4 power levels including boost
- Electronic timer for delayed switch-off

Features

- Push-button front controls
- Insulated motor for lower noise levels
- Twin halogen lighting
- Stainless steel filters
- AirVent™ program
- AirQuiet™ motor

ASKO CO4620

Slide-out rangehood, 60 cm

Performance

- Extraction capacity: 650 m³/h

Functions

- 4 power levels including boost
- Electronic timer for delayed switch-off

Features

- Push-button front controls
- Insulated motor for lower noise level
- Twin halogen lighting
- Stainless steel filters
- AirVent™ program
- AirQuiet™ motor

ASKO CC4520

Concealed rangehood, 52 cm

Performance

- Extraction capacity: 670 m³/h

Functions

- 4 power levels including boost
- Electronic timer for delayed switch-off

Features

- Electronic hidden controls
- LED indicator for fan speed
- Twin halogen lighting
- Cleaning alarm on aluminium filter after 30 hours of use
- Clean air program

Dishwashers

The dishwasher without compromise

At ASKO, we've been making dishwashers for a long time. We're always asking ourselves how we can make them better. How we can make life easier for you? Continuous improvement is in our DNA and it lives in every ASKO dishwasher. Whether you're renovating your kitchen or simply upgrading your current machine, ASKO has a model to suit your needs.

Style

Classic

Logic

Why an ASKO dishwasher?

Loaded with smart features

ASKO dishwashers are some of the most advanced in the world. They're packed with innovative features that make light work of all types of loads. Like our pre-rinse that saves you having to clean dishes before loading. Also, our Turbo Drying system that rapidly extracts condensation after the final wash so your dishes dry much faster. All these handy features help to make ASKO dishwashers a favourite around the world.



Even larger capacity

ASKO dishwashers allow you to wash bigger loads than before. Our standard models have an external height of 82cm and a loading height of 54cm. While our XXL models have an outside height of 86cm, and a large loading height of 58cm, giving you enough room for pots, pans, vases or baking trays.

Whisper-quiet operation

ASKO dishwashers give new meaning to the phrase, 'a quiet night in'. Whether you're watching TV or enjoying some after-dinner conversation, your whisper-quiet ASKO dishwasher will be hard to notice.

SCS+

SCS+ is a patented jet system that blasts off food particles, channels them to a central drain, then cleans the fine filter and all the interior surfaces prior to the main wash. This means you never have to pre-rinse your dishes. SCS+ saves water, saves energy, and reduces wash times.

Saves water

ASKO dishwasher use as little as 13.9 litres of water on a normal wash. And thanks to our basket design and water distribution system, there is no need to rinse dishes before loading them, which means even less water wastage.

Even faster drying

ASKO offers Turbo Drying Express™, a powerful drying function that significantly shortens drying times and saves about 30 minutes on a normal program. It also has the ability to give a perfectly dry result on plastics that are usually hard to dry. (Available on models D5894SSXXL and D5894Fi XXL)

No rinsing required

Most people spend a lot of time rinsing the plates and bowls before placing them in the dishwasher. Those days are gone because ASKO dishwashers are fitted with SCS™ (Super Cleaning System™). It means that you save time, water, energy and effort because the machine takes care of the rinsing for you.

Inner strength

Designed to last

Quality is at the heart of the ASKO manufacturing process. Our dishwashers are made with stainless steel components to ensure durability and years of reliable service. No other material lasts as long as stainless steel, especially in an environment where salt and detergent are everyday factors. Our dishwashers will not rust because we use non-magnetic, 18.9 high-quality stainless steel in all parts that come in contact with water.



See everything inside

There is a small but very effective light inside selected ASKO dishwashers. It turns on when you open the door and turns off when you close the door. The light makes loading and unloading much easier. (Available on models D5894SSXXL and D5894FiXXL).

Spray arms

In a dishwasher, the spray arms do the hard work. ASKO's dishwashers are fitted with stainless steel spray arms made of 18.9 steel, which combined with slower rotation, give a better washing result and a much longer life.

Gliding telescopic rails

ASKO dishwashers feature fully extendable stainless steel telescopic rails, making loading and unloading your dishes a breeze.

Superior stainless filter

With ASKO dishwashers you only have to clean the filter twice a year for optimal performance. ASKO's electropolished stainless steel filters and continuous airing and spraying, combined with the ASKO SuperCleaning-System™, keep the strainer and filter clean.

In the zone

1 The strainer is rinsed from the lower spray tower

2 The bottom and strainer for improved filtration (lower spray arm)

3 Dishes and cutlery in the lower basket are sprayed from below

4 Dishes and cutlery in the lower basket are also sprayed from above

5 Dishes in the upper basket are sprayed from below

6 A Power Zone™ cleans pots and pans

7 A second Power Zone™ cleans pots and pans

8 A third Power Zone™ cleans the cutlery basket

9 Spray zone for the upper knife basket

10 Spray zone for the middle basket



* Each model has different Spray Zones™ and Power Zones™. Please see Technical specifications on page 86-87.

It's time to shine

ASKO dishwashers have always been famous for their exceptional cleaning results. And the secret is our carefully designed and highly effective Spray system. ASKO's advanced 10Spray™ * system powerfully targets each zone to deliver a dazzling cleaning result.

Our XXL* dishwasher models have a 58 cm loading height for even greater convenience. With a unique, flexible four rack system with up to seven baskets*, our dishwashers can handle all sizes of pans and serving dishes easily. All this makes ASKO not only world class, but in a class of its own.

* Please see Technical specifications on page 86-87

Knife basket

ASKO dishwashers have a special basket installed in the top of the dishwasher for placing sharp knives. The basket has also been designed to protect glasses and china from knife scratches. To ensure that knives are thoroughly cleaned, the basket has its own dedicated spray system.

Knife basket on models D5457, D5544, D5644, D5984

Upper basket

When it comes to expensive glassware, you want your dishwasher to offer the very best level of care. That's why we've designed an upper rack that can handle large loads of glasses with minimal wear - perfect for after entertaining. You can load up to five rows of glasses and the height-adjustable basket allows you to provide even more space in the lower rack.

Height adjustable upper basket in models D5457, D5544, D5644, D5984, D5954

Middle basket

With a dedicated middle basket, ASKO dishwashers offer the very best use the interior space to handle the largest loads. With a dedicated spray system, it's suitable for cups, small glasses or bowls, as well as large utensils such as whisks, ladles and mixing spoons. The innovative middle basket features a removable section that allows you to wash items up to 32.5 cm high. Alternatively, you can remove the middle basket completely giving you a massive 39 cm of usable height.

Middle basket on model D5894

Cutlery basket

Our handy cutlery basket features roomy sections for easy sorting of your cutlery. This clever design allows your forks and knives to dry much faster by eliminating water collection. In addition, the cutlery basket can be placed anywhere on the lower rack.

Lower basket

The unique Power Zone™ design offers a new level of flexibility for washing all types of dishes and cutlery. In the lower rack, you can load things like plates, pans and cutlery while heavily soiled dishes can be placed directly over one of the Power Zones™ at the back of the basket for maximum results. You can even fold down the plate holders, providing a flat surface to place really large objects on.
(Please see Technical specifications on page 86-87)

No more hand-washing large items

If you remove one section from the middle basket you can wash items that are up to 32.5 cm high, remove the whole middle basket and you get 39 cm of usable height. Making room for your flower vases, baking trays, larger bowls and cutting boards.

Outdoor

For outdoor entertaining

ASKO's outdoor dishwasher is the first dishwasher specifically designed for outdoor use. Now you can eat, load and continue entertaining your guests without a break in the conversation. No more missing out on special moments while running back inside with piles of dirty plates and platters.

Stainless steel protection

The ASKO outdoor dishwasher features high quality 18.9 stainless steel top, sides, and back for added environmental protection. All steel parts come with advanced corrosion protection, while sealed electronics keep out the harsh Australian elements and insects.

Big on entertaining

The ASKO outdoor dishwasher has been designed with the serious outdoor entertainer in mind. Its huge capacity for up to 14 place settings, 10 different programs, plus a 4 star WELS water efficiency rating, make it the perfect addition to the ultimate outdoor kitchen.

Flexible loading options

The ASKO outdoor dishwasher's flexible basket system caters comfortably for the wide range of dishes that are a part of alfresco dining, from the largest plates and platters, to bulky BBQ utensils and even delicate wine glasses.

Conversation starter

With the ASKO outdoor dishwasher, there's no more running inside with all your dirty dishes, so you'll never miss out on the conversation again. And with a whisper-quiet operation, you and your guests will be able to enjoy the sounds of the great Australian outdoors.

Dishwashers

Dishwashers

ASKO D5894 SS XXL

Type: Built-in, 86 cm

Capacity

- 15 place settings
- Energy star: 3.5
- Water star: 4.5

Number of Programs

- 15

Programming options

- Cool touch
- Delayed start 1-24 h
- Half load upper or lower baskets
- High Temperature
- Long dry
- Super rinse
- Time set
- Time saver

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- Turbo Drying Express™
- 10Spray™

Flexiracks™

- Exclusive height-adjustable upper basket
- Exclusive lower basket
- Cutlery basket
- Middle basket
- Knife basket

* Tops and sides available at additional cost

ASKO D5644 SS XXL

Type: Built-in, 86 cm

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 10

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- 8Spray™

Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket

D5644 SS

Type: Built-in, 82 cm

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 10

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- 8Spray™

Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket

Dishwashers

ASKO D5457 SS

Type: Built-in, 82 cm

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 6

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time Saver
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- 8Spray™

Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket

ASKO D5434 SS

Type: Built-in, 82 cm

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 6

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- 7Spray™

Flexiracks™

- Premium upper basket
- Premium lower basket
- Cutlery basket

ASKO D5424 SS

Type: Built-in, 82 cm

Capacity

- 14 place settings
- Energy star: 3
- Water star: 4

Number of Programs

- 6

Programming options

- High Temperature
- Long dry

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- 5Spray™

Flexiracks™

- Standard upper basket
- Standard lower basket
- Cutlery basket

Dishwashers

Dishwashers

ASKO D5457 WH

Type: Built-in, 82 cm

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 6

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time Saver
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- 8Spray™

Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket



ASKO D5434 WH

Type: Built-in, 82 cm

Capacityw

- 14 place settings
- Energy star: 3
- Water star: 4

Number of Programs

- 6

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- 7Spray™

Flexiracks™

- Premium upper basket
- Premium lower basket
- Cutlery basket



ASKO D5424 WH

Type: Built-in, 82 cm

Capacity

- 14 place settings
- Energy star: 3
- Water star: 4

Number of Programs

- 6

Programming options

- High Temperature
- Long dry

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidLock™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- 5Spray™

Flexiracks™

- Standard upper basket
- Standard lower basket
- Cutlery basket

* Tops and sides available at additional cost

Dishwashers

ASKO D5894 Fi XXL

Type: Fully integrated, 86 cm
Status Light™

Capacity

- 15 place settings
- Energy star: 3.5
- Water star: 4.5

Number of Programs

- 15

Programming options

- Cool touch
- Delayed start 1-24 h
- Half load upper or lower baskets
- High Temperature
- Long dry
- Super rinse
- Time set
- Time saver

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidSafe™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- Turbo Drying Express™
- Status Light™
- 10Spray™

Flexiracks™

- Exclusive height-adjustable upper basket
- Exclusive lower basket
- Cutlery basket
- Middle basket
- Knife basket

ASKO D5544 Fi XXL

Type: Fully integrated, 86 cm
Status Light™

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 10

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidSafe™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- Status Light™
- 8Spray™

Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket

ASKO D5544 Fi

Type: Fully integrated, 82 cm
Status Light™

Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

Number of Programs

- 10

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidSafe™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Turbo Drying
- Status Light™
- 8Spray™

Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket

* Fully Integrated doors not included

Dishwashers

Dishwashers

ASKO D5532Fi

Type: Fully integrated, 82 cm

Capacity

- 14 place settings
- Energy star: 3
- Water star: 4

Number of Programs

- 6

Programming options

- High Temperature
- Long dry

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidSafe™
- 5Spray™

Flexiracks™

- Standard upper basket
- Standard lower basket
- Cutlery basket

* Fully Integrated doors not included

Outdoor

ASKO D5954 OUTDOOR

Type: Freestanding or under bench
Colour: TouchProof™ stainless steel

Number of Programs

- 10

Programming options

- Delayed start 1-24 h
- High Temperature
- Long dry
- Time saver
- Time set

Features

- Adjustable temperatures
- AquaDetect™ Sensor
- AquaSafe™
- KidSafe™
- PowerZone Pots & Pans™
- PowerZone Cutlery™
- Status Light™
- 8Spray™

Baskets

- Exclusive 23 cm height-adjustable upper basket
- Exclusive 31 cm lower basket
- Knife basket

Freestanding kit

Freestanding kit

With the freestanding kit you can easily make your ASKO Built-in dishwasher a freestanding dishwasher. The kit can be used with both 82cm and 86cm models. Avaliable in white or titanium.

ASKO

Laundry products

ASKO
ASKO

Washing machines

Create a laundry for your lifestyle

A quality washing machine is one of those things that simply makes life better. Designed using commercial technology, ASKO washing machines reduce the time and effort it takes to care for your clothes, ensuring you get the most hygienic and effective clean possible, wash after wash. Of course, everyone's needs are different. That's why we've created three ranges of smart washing machines to suit different lifestyles - Classic, Logic and Style. Each range has it own unique features and functionality, yet they all share our enduring commitment to durability, energy efficiency and user friendliness. And matched with the Swedish designer lines that ASKO is famous for, your laundry will also look as good as it performs.

Style

Logic

Classic

Catering to the growing family

7kg, 8kg and 10kg washing machine

ASKO washing machines are the perfect choice for growing families. With the choice of 7kg, 8kg and 10kg, there is an ASKO washing machine to suit your needs. All ASKO washing machines include clever features, such as our unique SmartSeal™ design, which delivers a more hygienic wash by eliminating rubber door seals and makes loading and unloading easier.

10kg

Bigger inside

The ASKO 80L

With the ASKO 80L drum, you've got every stage of life covered. Having the extra capacity to tackle large loads means you can wash less often, giving you more time to do the things you actually enjoy. In addition, the 5 star energy rating makes it the efficient choice for every sustainably conscious home.

80L washing machine

Bigger inside and outside, this is the ideal washing machine for growing and changing family situations. With the ASKO 80L washing machine you can wash anything from King Size Sheets to a single T shirt, compared to our 60L washing machine, which can handle approximately one third less. (depending on the garment weight and size).

Conserve energy with SensiSave™

SensiSave™ sensors in ASKO washing machines recognise the size of your laundry load and match water levels and time accordingly. This means they use much less water and energy when washing smaller loads.

Easy-to-use interface

Although the technology in ASKO Style Series washing machines and dryers is very advanced, it's also very easy to use. All the information is displayed in one row: simply enter your settings from left to right. The options are simple and logical. The machine has a program memory which remembers the last-used program. Next time the machine is turned on, just press Start.

5 star energy rating

At ASKO we try to preserve more than just your clothes. That's why our washing machines have a 5 star energy rating. This not only reduces your energy bill, but is better for the environment too! (On models W6564, W6884ECO, W6984Fi, W8844XXL, W8844XXL ECO).

Protecting the Family

The new 80L washing machine was designed with family safety in mind. The new detergent compartment is equipped with a smart child lock feature. The machine's door can also be pushed open from the inside if your little one climbs in.

Cleans all types of garments

With its huge capacity, the new 80L machine gives you the option to wash large items like doonas, rugs and large down parkers at home, meaning less trips to the drycleaner (W8844XL and W8844XLECO).

The inside story

Built like a professional

At ASKO, we build our domestic laundry products to the same standards as our professional products. ASKO's Quattro™ suspension system features four shock absorber legs to virtually eliminate vibration while our high-speed induction motors deliver maximum spin speeds for the quickest wash possible.

All this means you'll enjoy quiet operation in the home and your clothes will be ready faster than ever before. So you can spend less time in the laundry and more time with your family.

ActiveDrum™

Using special hourglass shaped lifting paddles, ActiveDrum™ gives a cleaner, gentler wash by moving your laundry to the centre, while guiding dirt particles and grit to the outside evacuation holes for removal.

SmartSeal™

Derived from commercial washing machine technology, SmartSeal™ ensures a more hygienic wash by eliminating rubber door seals that can degrade over time, trapping dirt and grime. You will also find loading and unloading easier.

Longevity

A washing machine must be able to withstand both high temperatures and high spin speeds. That's why we use stainless steel in both our inner and outer drums. The use of stainless steel also means your machine will have a longer lifetime.

Cast iron balancing system

We reinforce and stabilise our washing machines by using a robust cast iron balancing system instead of concrete, to make our machines sturdy, quiet and durable.

Long-life induction motors

Our washing machines are fitted with induction motors to ensure that the machine can cope with the highest spin speeds, whilst reducing noise levels and increasing the life of the machine.

Maximum speed for a faster wash

With high spin speeds of up to 1800* rpm, our machines leave your clothes with less residual moisture after the wash, making them quicker to dry and saving you time and energy.

** please see technical specification on page 88*

Washing machines

Style

W6984FI - 7 kg

Type: Front load washing machine
Fully Integrated*

Capacity

- 7 kg
- Energy star: 5
- Water star: 5

Number of Programs

- 14

Programming options

- Anti-crease 2h
- Buzzer
- Delayed start 1-24 hours
- High water level
- Normal/economy/super Rinse
- Pre-soak 2h
- Spin speed 0-1800 rpm
- Temperature cold-95°C
- Time set

Features

- Active Drum™
- Auto door opening
- Induction motor
- Program memory
- Read out display
- Remaining time and fault indication on display (real time)
- SensiSave™
- SmartSeal™

* Individual door as accessory

Logic

W8844XL ECO - 10 kg

Type: Front load washing machine
Colour: White

Capacity

- 10 kg
- Energy star: 5
- Water star: 4.5

Number of Programs

- 15

Programming options

- Anti-crease 2h
- Delayed start 1-24 hours
- High water level
- Super Rinse
- Spin speed 0-1400 rpm
- Pre-soak 2h
- Super wash
- Temperature cold-95°C
- Time set

3 Special allergy programs

- Allergy program Cotton: 40-90°C, optional spin speed
- Allergy program Synthetics: 40-60°C, max 1200 rpm
- Cleaning program (drum cleaning without load): 90°C, high water level

Features

- Active Drum™
- Cold and Hot water conntection
- Induction motor
- Program memory
- Read out display
- Remaining time and fault indication on display
- SensiSave™
- SmartSeal™

W8844XL - 10 kg

Type: Front load washing machine
Colour: White

Capacity

- 10 kg
- Energy star: 5
- Water star: 4.5

Number of Programs

- 12

Programming options

- Anti-crease 2h
- Delayed start 1-24 hours
- High water level
- Super Rinse
- Pre-soak 2h
- Spin speed 0-1400 rpm
- Super wash
- Temperature cold-95°C
- Time set

Features

- Active Drum™
- Induction motor
- Program memory
- Read out display
- Remaining time and fault indication on display
- SensiSave™
- SmartSeal™

Logic

W6884 ECO - 7 kg

Type: Front load washing machine
Colour: White

Capacity

- 7 kg
- Energy star: 5
- Water star: 5

Number of Programs

- 12

Programming options

- Anti-crease 2h
- Delayed start 1-24 hours
- High water level
- Super Rinse
- Spin speed 0-1800 rpm
- Pre-soak 2h
- Super wash
- Temperature cold-95°C
- Time set

Features

- Active Drum™
- Auto door opening
- Cold and Hot water conntection
- Induction motor
- Program memory
- Read out display
- Remaining time and fault indication on display
- SensiSave™
- SmartSeal™

W6864 - 8 kg*

Type: Front load washing machine
Colour: White

Capacity

- 8 kg
- Energy star: 4.5
- Water star: 4.5

Number of Programs

- 12

Programming options

- Anti-crease 2h
- Delayed start 1-24 hours
- High water level
- Super Rinse
- Pre-soak 2h
- Super wash
- Spin speed 0-1600 rpm
- Temperature cold-95°C
- Time set

Features

- Active Drum™
- Auto door opening
- Induction motor
- Program memory
- Read out display
- Remaining time and fault indication on display
- SensiSave™
- SmartSeal™*

** available June 2014*

Classic

W6564 - 7 kg

Type: Front load washing machine
Colour: White

Capacity

- 7 kg
- Energy star: 5
- Water star: 5

Number of Programs

- 10

Programming options

- Delayed start 1-24 hours
- High water level
- Super Rinse
- Super wash
- Spin speed 0-1600 rpm
- Temperature cold-95°C

Features

- Active Drum™
- Auto door opening
- Induction motor
- Program memory
- Read out display
- Remaining time and fault indication on display
- SensiSave™
- SmartSeal™

Tumble dryers

More than just hot air

The ASKO tumble dryers range from 112L to 145L drum size and are fitted with the unique non-stop Butterfly Drying™ system, an efficient way of protecting clothes from wear.

In addition to this, our tumble dryers also offer short drying times and are perfectly designed to match ASKO washing machines, so you can choose the perfect pair.

ASKO
ASKO
ASKO
ASKO

Open up to more



The perfect setting

Our dryers have many intelligent settings that take the guesswork out of caring for your clothes. Our Auto programs help to conserve electricity by automatically adjusting the running time, depending on the amount of laundry. If you'd like to freshen up clothes without washing them, you simply select the Airing program. And for greater convenience, our dryers (T784C and T784CHP) come with interior lighting. It won't change your life, but it's nice to be able to see those items that can easily be left in the back of the dryer.

Fast and gentle with Butterfly Drying™

Butterfly Drying™ tumbles your clothes in a figure eight to prevent bundling and minimise creasing. This one-way tumbling process offers a faster drying while extending the life of the motor.

Iron Dry reduces creasing

The Iron Dry program is designed to reduce creasing by leaving a small amount of moisture in your clothing. This moisture makes the ironing process much easier.

Auto-adjusts to the load size

ASKO's auto programs can detect the amount of laundry in your dryer and adjust the running time according to the load size. Or even adjust the running time according to the level of moisture you want remaining in your clothes. Various Auto programs can be found in every ASKO dryer. (please see Technical Specifications on page 89)

6 star energy efficiency

Our heat pump dryers use ambient heat from the air to help dry your clothes, saving you money with every use. This 6 star energy efficiency makes them a more sustainable appliance choice. (Models T754CHP and T784CHP)

Reversible door fits any space

All ASKO tumble dryers have a reversible door that gives you the option of a left- or right-hanging door. This gives you the flexibility to configure your dryer to suit the layout of your laundry.

Prevent shrinking with SensiDry™

SensiDry™ detects the level of moisture in your clothes and automatically turns off the dryer when they are dry. This prevents your clothes from shrinking, while saving energy.

Dry like a professional

A smart choice

Sooner or later, galvanised steel rusts. That's why we decided to make our dryer drums out of stainless steel. We also designed the drum with three ball bearings, rather than plain bearings that don't have the same stability or life. So our tumble dryers really do last longer.

Twice as tough on lint

Lint impairs circulation inside the dryer, which leads to higher energy consumption. This is why our dryers are fitted with a particularly efficient double lint filter. This prevents lint from gathering and increases the service life of the dryer.

Self-cleaning filter

ASKO's T784CHP heat pump dryer is fitted with an automatic self-cleaning filter that eliminates the need to remove lint from the condenser filter. The only thing you need to do is rinse the small water filter every tenth cycle.

Style your laundry

There is always a perfect spot for your ASKO tumble dryer. Place it beside or even stack it on top of your matching ASKO washing machine.

No venting required

ASKO condenser and heat pump tumble dryers do not need to be vented, making installation easy and keeping your laundry free from steam.
To make it even simpler, we've also made it possible to connect the water tank to the drain.

Longevity

At ASKO we believe stainless steel will not only outlast plastic, but quality materials will always look better in years to come. In addition, ASKO tumble dryers have a non-stop tumbling action, which is gentle on your clothes and increases the life-span of the motor.

One way rotation

Most dryers will stop and rotate in the opposite direction during the cycle, but not an ASKO. By using a non-stop, one-way tumbling action, our dryers are designed to last longer and care for your clothes.

Tumble dryers

Logic - XL

T884XLCHP*

Type: Freestanding heat pump dryer
Colour: White or stainless steel

Capacity

- 10 kg
- Energy star: TBC

Number of Programs

- 10

Programming options

- Anti-crease function
- Buzzer
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Automatic programs
- Butterfly Drying™
- Double lint filter
- Digital countdown indicator
- Interior LED light
- Program memory
- Self cleaning conderser filter
- SensiDry™

** Coming soon*

Style

T794CFI

Type: Fully integrated condenser dryer*
Colour: Fully integrated

Capacity

- 6.5 kg
- Energy star: 2

Number of Programs

- 10

Programming options

- Anti-crease function
- Buzzer
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Automatic programs
- Butterfly Drying™
- Double lint filter
- Digital countdown indicator
- Interior LED light
- Program memory
- SensiDry™

** Individual door as accessory*

Logic

T784C

Type: Freestanding condenser dryer
Colour: White

Capacity

- 6.5 kg
- Energy star: 2

Number of Programs

- 10

Programming options

- Anti-crease function
- Buzzer
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Automatic programs
- Butterfly Drying™
- Double lint filter
- Digital countdown indicator
- Interior LED light
- Program memory
- SensiDry™

Logic

T784CHP

Type: Freestanding heat pump dryer
Colour: White

Capacity

- 7 kg
- Energy star: 6

Number of Programs

- 10

Programming options

- Anti-crease function
- Buzzer
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Automatic programs
- Butterfly Drying™
- Double lint filter
- Digital countdown indicator
- Interior LED light
- Program memory
- Self cleaning conderser filter
- SensiDry™

Classic

T754CHP

Type: Freestanding heat pump dryer
Colour: White

Capacity

- 7 kg
- Energy star: 6

Number of Programs

- 6

Programming options

- Anti-crease function
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Automatic programs
- Butterfly Drying™
- Double lint filter
- Digital countdown indicator
- Program memory
- SensiDry™

T754C

Type: Freestanding condenser dryer
Colour: White

Capacity

- 6.5 kg
- Energy star: 2

Number of Programs

- 6

Programming options

- Anti-crease function
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Automatic programs
- Butterfly Drying™
- Double lint filter
- Digital countdown indicator
- Program memory
- SensiDry™

Drying cabinet

The ultimate laundry assistant

If you're a busy family, the winter months can often leave you with more damp washing than you can comfortably cope with. That's why an ASKO drying cabinet makes perfect sense. The intelligent design of our cabinets mean they can be easily adapted to a wide range of laundry - from business shirts or sports shoes through to much larger items such as towels, sheets and quilt covers. What's more, ASKO drying cabinets are really gentle on clothes, which makes them a great choice for delicates. With the equivalent of 16 metres of clothesline space, you'll never have to worry about damp washing left sitting in the laundry basket ever again.

Free up your space

With so much capacity, your ASKO drying cabinet will not only help to keep all your clothes and linen dry, it will go a long way to keeping your laundry space neat and tidy. With room for a full load of washing, it's like having a hidden clothes line that no one will ever see.

Reduce creasing

A tumble dryer is great for drying clothes fast, but it can result in creasing. Because drying cabinets use heat and gravity, they virtually eliminate creasing. This makes them the ideal choice for difficult to iron items such as cotton shirts and linen.

Handle bigger items with ease

With three rows of foldable pull-out hangers, an ASKO drying cabinet gives you the flexibility to handle just about any size or type of item with ease. From small wet clothes through to boots, gloves, hats, overcoats and bulky winter jackets. Once you've tried an ASKO drying cabinet, you'll wonder how you lived without one.

Feel the luxury

Crisp, warm towels offer the most luxurious start to the morning and an ASKO drying cabinet makes it possible every day. With its delayed start function, you can have your towels, bath robes or any other garment warm and ready for you first thing in the morning.

The gentle way to dry

Check the labels on your clothes and you'll see that many garments and materials need very careful washing and drying treatment. Silk, velvet and satin, for example, need to be handled with the upmost care. That's when a drying cabinet comes in handy. With no moving parts, your garments are subject to less wear.

Beautify your laundry

Our drying cabinet has been cleverly designed to co-ordinate with our full range of laundry products – your cabinet will integrate perfectly and give your laundry a completely seamless, sophisticated look.

Drying cabinet

Drying cabinet

DC7573

Type: Drying cabinet
Colour: White

Capacity

- 16 metres of hanging space (bars)

Number of Programs

- 6

Programming options

- Anti-crease function
- Delayed start 1-24 hours
- Temperature low/normal
- Time save
- Time set

Features

- Door hangers
- Energy and time-saving automatic programs
- Foldable hanging bars
- Glove hanger
- Jog dial for program selection
- LC display with remaining time indication
- Pull-out bars
- Shoe rack in bottom
- 1 metre venting duct

Hidden helpers

Make the most of your space

Space is a really important consideration in the home that is often neglected in the laundry. You want functional, practical solutions that add storage capacity while providing convenient access to the things you use regularly. Our Hidden Helpers™ are simple and very smart inventions that give you handy access to everything you need, making your laundry space easier to use. Like all the items in our laundry range, each Hidden Helper™ is designed to co-ordinate beautifully with our range of washing machines and tumble dryers.

Convenient pull out shelf

If you need to fold linen or load clothes into your washer, having a bench area is a great idea. Of course, not every laundry is big enough for a dedicated bench. That's why we created our smart pull out shelf. When you need additional shelf space, you simply pull it out for easy access. And when it's not in use, it discretely folds away to create more room to move.

Model no: 8079977-0

Pedestal Drawer

Laundry cupboards are often packed with a range of heavy and bulky items that can be difficult to see and access. Our solution was to create a sliding pedestal storage drawer. With a height of 30cm, it's ideal for storing your detergent, softener, coat hangers, pegs, user manuals and other laundry items. Top-down access ensures everything you need is within reach. The drawer even comes with a shelf for easy loading and unloading of your washing.

Model no:8080642-0

Technical specifications

OVENS

MODEL	OP8631	OP8621	OP8611	OT8601
Built-in	■	■	■	■
Colour	Stainless steel / Anthracite	Stainless steel / Anthracite	Stainless steel / Anthracite	Stainless steel
DIMENSIONS				
Built-in (WxHxD) (mm)	560/600/550	560/600/550	560/600/550	560/600/550
Exterior dimensions (WxHxD) (mm)	597/595/565	597/595/565	597/595/565	597/595/565
EFFICIENCY				
European energy rating	A	A	A	A
Heating	Conventional/hot-air	Conventional/hot-air	Conventional/hot-air	Conventional/hot-air
Gross oven volume (L)	65	65	65	70
Max. temperature (°C)	275	275	275	275
Cavity material	Enamelled	Enamelled	Enamelled	Enamelled
Languages	30			
Type of control	TFT Colour Screen	Touch control	Knob/push button	Knob/push button
Delayed start	■	■	■	■
OVEN FUNCTIONS				
SIMPLEbake	■	-	-	-
AUTObake	■	-	-	-
PRObake	■	-	-	-
STEPbake	■	-	-	-
Fan and bottom heat	■	■	■	■
Top/bottom heat	■	■	■	■
Fan	■	■	■	■
Fan Forced	■	■	■	■
Fan Forced & Lower element	■	■	■	■
Fan and grill	■	■	■	■
Half grill/Full grill	■ / ■	■ / ■	■ / ■	■ / ■
Defrost	■ / ■	■ / ■	■ / ■	- / ■
Keep warm	■	■	-	-
Pyro 90/120/150 min	■ / ■ / ■	■ / ■ / ■	■ / ■ / ■	- / - / -
Aqua clean	-	-	-	■
Keep warm	■	■	■	-
Internal light (W)	50	50	50	50
No. of glass panes in door	4	4	4	3
Memory	120	3	-	-
ACCESSORIES				
Telescopic rails	3 Fully	2 ¾	-	-
Trays	3	3	3	3
Probe	■	■	■	■
INSTALLATION				
Voltage (V)	240	240	240	240
Frequency (Hz)	50	50	50	50
Fuse (A)	15	15	15	15
Max. output power (kW)	3.3	3.3	3.3	3.3

Technical specifications

RANGEHOODS					
MODEL	**CC4840**	**CW4951**	**CO4920**	**CO4620**	**CC4520**
Type	Concealed	Canopy	Slide-out	Slide-out	Concealed
Colour	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
DIMENSIONS					
Height (incl chimney min-max) (mm))	380	595/1115	229	229	347
Width (mm)	860	900	900	600	525
Depth (mm)	294	480	420	420	283
TECHNICAL DATA					
Integrated motor in rangehood body	■	■	■	■	■
Lighting (Halogen) (W)	2x20	2x20	2	2	2x20
Regulation (speed levels + booster)	4	4	4	4	4
Controls	Electronic hidden controls	Touch buttons	Push-button, front controls	Push-button, front controls	Electronic buttons
Audible timer (min)	-	1-59	-	-	-
Off timer (min)	15	15	15	15	15
Air movement (m^3)	760	650	650	650	670
CLEANING					
Fat collector	-	■	-	-	-
Washable aluminium grease filter	■	■	■	■	■
Teflon coated metal fan blades	-	■	-	-	-
Filter cleaning indication	■	■	-	-	■
INSTALLATION					
Voltage (V)	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50
Cable (cm)	80	150	80	80	100
Ducting outlet diameter (mm)	150	150	150	150	150
Plug	■	■	■	■	■

Technical specifications

ELECTRIC COOKTOPS				
MODEL	**HI1774**	**HI1983**	**HI1683**	**HC1643G**
Type	Induction	Induction	Induction	Ceramic
Colour/edge	Black frame	Glass/bevelled	Glass/bevelled	Glass/bevelled
DIMENSIONS				
Built-in (WxD) (mm)	750x490	860x490	560x490	560x490
Exterior dimensions (WxD) (mm)	775x522	900x520	640x520	600x510
Weight net / gross (kg)	11/13.5	18/20	15/16	8/8.5
FEATURES				
Control devices	Touch control	Touch control	Touch control	Touch control
Power levels	9	12	12	9
Hi-Light elements	-	-	-	■
Timer	■	■	■	■
Power indication	■	■	■	■
Booster function	■	■	■	■
SAFETY				
Child lock	■	■	■	■
Overflow / overheat	■ / ■	■ / -	■ / -	■ / -
Residual heat indicator	■	■	■	■
Cooking time limiter (auto stop)	■	■	■	■
ZONE SIZE AND WATTAGE				
Left centre		5500/260		
Front left (W/mm)	2100 or 3700/210	3700/190X220	3700/190X220	700 or 2100/120 or 210
Back right (W/mm)	1850 or 3000/180	3700/190X220	3700/190X220	750 or 1700/120 or 180
Back left (W/mm)	1400 or 2200/145	3700/190X220	3700/190X220	1200/145
Front right (W/mm)	1850 or 3000/180	3700/190X220	3700/190X220	1200/145
INSTALLATION				
Connected power (kW)	7.4	11.1	7.4	6.2
Voltage (V)	240	400	400	240
Frequancy (Hz)	50	50	50	50
Current (A)	32	16	16	32

Technical specifications

GAS COOKTOPS						
MODEL	**HG1984A**	**HG1984S**	**HG1774A**	**HG1774S**	**HG1664S**	**HG1654S**
Plates	Gas	Gas	Gas	Gas	Gas	Gas
Colour	Anthracite	Stainless steel	Anthracite	Stainless steel	Stainless steel	Stainless steel
DIMENSIONS						
Built-in (WxD) (mm)	860x490	860x490	690x490	560x490	560x490	560x490
Exterior dimensions (WxD) (mm)	900x526	900x526	750x526	750x526	625x510	600x526
Weight net / gross (kg)	16.8/19.0	16.8/19.0	15.0/17.0	15.0/17.0	10.4/12	10.2/12
FEATURES						
Power levels	Infinite/continuous	Infinite/continuous	Infinite/continuous	Infinite/continuous	Infinite/continuous	Infinite/continuous
Ignition system	■	■	■	■	■	■
COOKING ZONES						
Normal	■	■	■	■	■	■
Rapid	■	■	■	■	■	■
Simmer	■	■	■	■	■	■
Wok	■	■	■	■	■	-
Number of burners	5	5	5	5	4	4
SAFETY						
Safety device for gas	Thermo electric	Thermo electric	Thermo electric	Thermo electric	Thermo electric	Thermo electric
INSTALLATION						
Gas type	NG	NG	NG	NG	NG	NG
Alternative gas type	LPG conversion kit	LPG conversion kit	LPG conversion kit	LPG conversion kit	LPG conversion kit	LPG conversion kit
Power cord length (cm)	230	230	230	230	230	230

Technical specifications

DISHWASHERS

MODEL	D5894 XXL	D5644 XXL	D5644	D5457	D5434	D5424
Height	86 cm	86 cm	82 cm	82 cm	82 cm	82 cm
Construction type	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in
Product available in	Stainless steel	Stainless steel	Stainless steel	Stainless steel / White	Stainless steel / White	Stainless steel / White
DIMENSIONS						
Height (mm)	860	860	820	820	820	820
Width (mm)	596	596	596	596	596	596
Depth (mm)	550	550	550	550	550	550
Height Adjustment	860-910	860-910	820-870	820-870	820-870	820-870
ENERGY LABEL INFORMATION / PERFORMANCE						
Reference program (used for energy label classification)	Normal	Normal	Normal	Normal	Normal	Normal
Number of place settings tested (energy label)	15	14	14	14	14	14
Noise level dB(A)	44	46	46	48	48	48
Total estimated energy consumption (220 full loads) (kWh)	294	273	273	273	259	322
Total cycle time of reference program (h)	2:05	1:45	1:45	1:45	1:45	2:00
Detergent consumption (g)	25	25	25	25	25	25
Energy star	3.5	3.5	3.5	3.5	3.5	3
Water star	4.5	4	4	4	4	4
FEATURES						
Delayed start	1-24 hr	1-24 hr	1-24 hr	1-24 hour	1-24 hr	-
1/2 Load function	■	-	-	-	-	-
Maximum temperature for water intake (°C)	70	70	70	70	70	70
Long drying	■	■	■	■	■	■
Time saver	■	-	-	■	-	-
Time set (only if time program is selected)	■	■	■	■	-	-
Turbo drying	■	■	■	■	■	-
Number of spray zones	10Spray™	8Spray™	8Spray™	8Spray™	7Spray™	5Spray™
ASKO TRADEMARKS						
Super Cleaning System (SCS+™)	■	■	■	■	■	■
SuperRinse™	■	-	-	-	-	-
CoolTouch™	■	-	-	-	-	-
StatusLight™	■	-	-	-	-	-
Turbo drying express™	■	-	-	-	-	-
PROGRAMS						
Daily	■	■	■	■	■	■
Heavy	■	■	■	■	■	■
Normal	■	■	■	■	■	■
Mixed	■	-	-	-	-	-
Upper basket	■	-	-	-	-	-
Lower basket	■	-	-	-	-	-
Time	■	■	■	■	-	-
Delicate	■	■	■	■	-	-
Quick	■	■	■	■	■	■
Super quick	■	■	■	■	-	-
Plastic	■	-	-	-	-	-
Eco	■	■	■	■	■	■
Crockery warming	■	-	-	-	-	-
Rinse and hold	■	■	■	■	■	■
Rinse and dry	■	■	■	■	-	-
INSTALLATION						
Required inlet water pressure (Mpa)	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1
Length inlet hose (cm)	158	158	158	158	158	158
Length outlet hose (cm)	198	198	198	198	198	198
Length of power supply cord (cm)	182	182	182	182	182	182

Technical specifications

DISHWASHERS

MODEL	D5894 Fi XXL	D5544 Fi XXL	D5544 Fi	D5532 Fi	D5954 Outdoor
Height	86 cm	86 cm	82 cm	82 cm	82 cm
Construction type	Fully integrated	Fully integrated	Fully integrated	Fully integrated	Free standing
Product available in					Stainless steel
DIMENSIONS					
Height (mm)	860	860	820	820	886
Width (mm)	596	596	596	596	632
Depth (mm)	550	550	550	550	635
Height Adjustment	860-910	860-910	820-870	820-870	886-907
ENERGY LABEL INFORMATION / PERFORMANCE					
Reference program (used for energy label classification)	Normal	Normal	Normal	Normal	Normal
Number of place settings, tested (energy label)	15	14	14	14	14
Noise level dB(A)	44	46	46	48	48
Total estimated energy consumption (220 full loads) (kWh)	294	273	273	322	322
Total cycle time of reference program (h)	2:05	1:45	1:45	2:00	2:00
Detergent consumption (g)	25	25	25	25	25
Energy star	3.5	3.5	3.5	3	3
Water star	4.5	4	4	4	4
FEATURES					
Delayed start	1-24 hr	1-24 hr	1-24 hr	-	1-24 hr
1/2 Load function	■	-	-	-	-
Maximum temperature for water intake (°C)	70	70	70	70	70
Long drying	■	■	■	■	■
Time saver	■	-	-	-	■
Time set (only if time programme is selected)	■	■	■	-	■
Turbo drying	■	■	■	-	-
Number of spray zones	10Spray™	8Spray™	8Spray™	5Spray™	8Spray™
ASKO TRADEMARKS					
Super Cleaning System (SCS+™)	■	■	■	■	■
SuperRinse™	■	-	-	-	-
CoolTouch™	■	-	-	-	-
StatusLight™	■	■	■	-	-
Turbo drying express™	■	-	-	-	-
PROGRAMS					
Daily	■	■	■	■	-
Heavy	■	■	■	■	-
Normal	■	■	■	■	■
Mixed	■	-	-	-	-
Upper basket	■	-	-	-	-
Lower basket	■	-	-	-	-
Time	■	■	■	-	■
Delicate	■	■	■	-	-
Quick	■	■	■	■	■
Super quick	■	■	■	-	-
Plastic	■	-	-	-	-
Eco	■	■	■	■	■
Crockery warming	■	-	-	-	-
Rinse and hold	■	■	■	■	■
Rinse and dry	■	■	■	-	■
INSTALLATION					
Required inlet water pressure (Mpa)	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1
Length inlet hose (cm)	158	158	158	158	158
Length outlet hose (cm)	198	198	198	198	198
Current (A)	10	10	10	10	10
Length of power supply cord (cm)	182	182	182	182	182

Technical specifications

WASHING MACHINES

MODEL	W6984Fi	W8844XL	W8844XLECO	W6884ECO	W6864	W6564
Construction type (built in / freestanding)	Fully integrated	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Main colour of product	Titanium	White	White	White	White	White
Door	■	-	-	-	-	-
DIMENSIONS						
Height (mm)	850	850	850	850	850	850
Width (mm)	595	595	595	595	595	595
Depth (mm)	600	700	700	585	585	585
Maximum adjustment, feet (mm)	30	25	25	30	30	30
Net weight (kg)	86	92	92	76	76	76
ENERGY LABEL INFORMATION / PERFORMANCE						
Reference program	Normal	Normal	Normal	Normal	Normal	Normal
Energy stars	5	5	5	5	4.5	5
Water stars	5	4.5	4.5	5	4.5	5
Maximum spin speed (rpm)	1800	1400	1400	1800	1600	1600
Capacity cotton (Kg)	7	10	10	7	8	7
Water consumption (l)	50	65	65	50	68	50
Moisture content on dry load after max. spin (%)	43	44	44	43	44	44
Total cycle time reference program	200	229	229	186	219	186
PROGRAMS						
Auto wash	■	■	■	■	■	■
Stain program	■	-	-	-	-	-
Time program	■	■	■	■	■	-
Heavy wash	■	■	■	■	■	■
Normal White/Colours	■	■	■	■	■	■
Quick White/Colours	■	■	■	■	■	■
Super quick	■	■	■	■	■	■
Easy care/sports wear	■	■	■	■	■	■
Synthetic wash	■	■	■	■	■	■
Wool wash	■	-	-	-	-	-
Hand wash	■	-	-	-	-	-
Wool/Hand	-	■	■	■	■	■
Rinse	■	■	■	■	■	■
Spin	■	■	■	■	■	■
Drain	■	■	■	■	■	-
Spin & Drain	-	-	-	-	-	■
Allergy cotton (40-90°C)	-	-	■	-	-	-
Allergy synthetics (40-60°C)	-	-	■	-	-	-
Drum cleaning	-	-	■	-	-	-
INSTALLATION						
Connecting rating (W)	2200	2200	2200	2200	2200	2200
Current (A)	10	10	10	10	10	10
Voltage (V)	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50
Length of power supply cord (cm)	210	210	210	210	210	210
Inlet hose length	150	150	150	150	150	150
Drain hose length	160	160	160	160	160	160
Hot & Cold water intake	-	-	■	■	-	-

Technical specifications

TUMBLE DRYERS						
MODEL	**T7884XLCHP**	**T794C FI**	**T784CHP**	**T784C**	**T754CHP**	**T754C**
Dryer type	Heat pump	Condenser	Heat pump	Condenser	Heat pump	Condenser
Main colour of product	White	Titanium	White	White	White	White
Door	Full cover door without window	Full cover door without window	Full cover door without window	Full cover door without window	Full cover door without window	Full cover door without window
Door hinge	Right reversible	Right reversible	Right reversible	Right reversible	Right reversible	Right reversible
Removable work top	-	-	-	-	-	-
Installation type	Freestanding	Fully integrated	Freestanding/ stackable	Freestanding/ stackable	Freestanding/ stackable	Freestanding/ stackable
DIMENSIONS						
Height of the product (mm)	850	850	850	850	850	850
Width (mm)	595	595	595	595	595	595
Depth (mm)	726	585	585	585	585	585
Adjustable feet	■	■	■	■	■	■
Maximum adjustment, feet (mm)	15	15	15	15	15	15
Net weight (Kg)	59	44	52	52	52	44
ENERGY LABEL INFORMATION / PERFORMANCE						
Energy stars	TBC	2	6	2	6	2
Capacity (Kg)	10	6.5	7	6.5	7	6.5
FEATURES						
Automatic programs	■	■	■	■	■	■
Double lint filter	■	■	■	■	■	■
Digital countdown indicator	■	■	■	■	■	■
Program memory	■	■	■	■	■	■
Anti-crease function	■	■	■	■	■	■
LED Interior light	■	■	■	■	-	-
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
TRADEMARKS						
SensiDry™	■	■	■	■	■	■
ButterflyDrying™	■	■	■	■	■	■
KidSafe™	■	■	■	■	■	■
Fully Integrated Series™	-	■	-	-	-	-
PROGRAMS						
Auto Jeans	■	■	■	■	-	-
Auto Synthetic	■	■	■	■	-	-
Auto Terry	■	■	■	■	-	-
Auto Down	■	■	■	■	-	-
Auto Extra dry	■	■	■	■	■	■
Auto Dry	■	■	■	■	■	■
Auto Normal dry	■	■	■	■	■	■
Auto Iron dry	■	■	■	■	■	■
Timed drying	■	■	■	■	■	■
Airing	■	■	■	■	■	■
INSTALLATION						
Connection rating (W)	1300	2250	800	2250	800	2250
Current (A)	10	10	10	10	10	10
Voltage (V)	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50
Length of power supply cord (cm)	210	210	210	210	210	210
Vent hose connection diam (cm)	N/A	N/A	N/A	N/A	N/A	N/A

Technical specifications

DRYING CABINETS	
MODELS	**DC7573**
Free-standing/can be built in	■ / ■
Colour	White
DIMENSIONS:	
Height (cm)	170
Width (cm)	59.5
Depth (cm)	59.5
Weight (kg)	62
USER INTERFACE:	
Knobs (no.)	1
Buttons	■
Timer (up to no. of hours)	12
DRYING PROGRAMS:	■
Auto dry	■
Auto normal dry	■
Auto extra dry	■
Warm towels, 120 min	■
Time dry, max 6h - 0.5h step	■
Cold dry, max 12h - 1h step	■
OPTIONS	
Venting (fan running 2 sec/min for 2 h)	■
Low temperature	■
TimeSaver	■
Delayed start	■
OPERATING DATA:	
Energy consumption normal dry program 3.5 kg, kWh/kg (60% residual moisture, TD standard)	0,8
Energy consumption normal dry program 3.5 kg, kWh/kg / time (spin >1600 rpm)	0.6/70 min
Energy consumtion cold dry program 3.5 kg, kWh/kg / time (spin >1600 rpm)	0.06/8 hours
Capacity (kg)	3.5
Hanging length, clothesline equivalent (m)	16
Dehumidification capacity (g/min)	21
Internal air exchange rate (m^3/h)	180
Overheat protection	■
Noise level dB(A)	56.5
TECHNICAL DATA:	
Fan motor output power (W)	35
Element output power (W)	2000
Rated voltage (V)	240
Frequency (Hz)	50
Current (A)	10
Power cord (mm)	2000
Venting hose length (mm)	1000

Technical specifications

HIDDEN HELPERS™		
MODEL	**8079977-0**	**8080642-0**
Colour	White	White
FEATURES:		
Push/Pull opening	-	■
Adjustable feet (mm)	-	30
Tipguard	■	-
Pull-out shelf	■	■
Maximum load (kg)	10	15
Volume (l)	-	77.5
Shelf surface	Laminate	Laminate
TECHNICAL SPECIFICATIONS		
BOXED DIMENSIONS		
Height (mm)	105	380
Width (mm)	650	650
Depth (mm)	620	620
Weight (kg)	11.5	28.5
OPENED DIMENSIONS		
Height (mm)	48	320-350
Width (mm)	595	595
Depth (mm)	560	560
Work height (mm)	898[1)]	-

[1)] Worktop can be placed either between an ASKO washer and dryer, or on top of an ASKO washer.

Installation drawings



OP8631, OP8621, OP8611



OT8601



HI1683



HI1983



HI1774



HC1643g



HG1654



HG1664

Installation drawings



HG1774A



HG1774S



HG1984



CC4840

The control unit is located on the right hand side beside the flue.



CC4520

The control unit is located on the right hand side beside the flue.



CO4620



CO4920



CW4951

Installation drawings



XXL 86 cm Dishwasher



82 cm Dishwasher



Outdoor Dishwasher



Washing machines and tumble dryers
W6564, W6884ECO, W6984Fi, W6864, T754C, T754CHP, T784C, T784CHP, T794CFi



XL washing
W8844XL, W8844XL ECO



XL dryer
T884XLCHP

All descriptions and dimensions in this brochure are a guide only. ASKO does not recommend their use for the manufacture or cutting of kitchen/laundry cabinetry prior to reading the installation manuals. Appliances in this brochure may also be fitted with optional extras. ASKO Australia reserves the right to alter specifications of the products without prior notice. Please visit our website www.asko.com.au or call ASKO on 1300 002 756 for the latest updates.